

ENCLOSURE AND ENRICHMENTS FOR HERBIVORES

The herbivore enclosures are open, with topological differences and natural vegetation, rock structures for climbing. The enclosures are also enriched with feeding platforms and resting sheds.

A.



B.



FEEDING

Sl.No	Species	Feed item	Quantity		Day of fasting
			Summer	Winter	
1	Himalayan Tahr (<i>Hemitragus jemlachius</i>)	Crushed Maize Gram ii. Crushed wheat v. Barley Salt Wheat Bran vii. Pulses (Mung/Masoor soaked) iii. Molasses ix. Turmeric x. Green fodder	230 gms 65 gms 50 gms 120 gms 05 gms 130 gms 40 gms 50 gms 05 gms 08 kgs	180 gms 50 gms 40 gms 90 gms 5 gms 100 gms 30 gms - 20 gms 8 Kgs	No fasting day observed
2	Blue Sheep (<i>Pseudois nayaur</i>)	i. Crushed Maize ii. Gram iii. Crushed wheat iv. Barley v. Salt vi. Wheat Bran vii. Pulses (Mung, Masoor soaked) viii. Molasses ix. Turmeric x. Green fodder	230 gms 65 gms 50 gms 120 gms 05 gms 130 gms 40 gms 50 gms 05 gms 08 kgs	180 gms 50 gms 40 gms 90 gms 5 gms 100 gms 30 gms - 20 gms 8 Kgs	No fasting day observed
3.	Himalayan Goral (<i>Naemorhaedus goral</i>)	i. Crushed Maize ii. Gram iii. Crushed wheat iv. Barley v. Salt vi. Wheat Bran vii. Pulses (Mung/Masoor soaked)	130 gms 35 gms 25 gms 50 gms 03 gms 65 gms 20 gms	130 gms 35 gms 25 gms 60 gms 3 gms 70 gms 20 gms	No fasting day observed
		viii. Molasses ix. Turmeric x. Green fodder	50 gms 05 gms 08 kgs	- 20 gms 8 kgs	

VETERINARY CARE

De-Worming Schedule of Animal:

SL NO	SPECIES	DRUG USED	MONTH
1	Himalayan Tahr (<i>Hemitragus jemlachi</i>)	Fenbendazole Albendazole	APRIL- JUNE & OCTOBER- DECEMBER JULY-SEPTEMBER & JANUARY – MARCH
2	Blue Sheep (<i>Pseudois nayaur</i>)	Fenbendazole Albendazole	APRIL- JUNE & OCTOBER- DECEMBER JULY-SEPTEMBER & JANUARY – MARCH
3	Himalayan Goral (<i>Naemorhaedus goral</i>)	Fenbendazole Albendazole	APRIL- JUNE & OCTOBER- DECEMBER JULY-SEPTEMBER & JANUARY – MARCH

Disinfection Schedule:

SPECIES	TYPE OF ENCLOSURE	DISINFECTANT USED AND METHOD	FREQUENCY OF DISINFECTION
H. Tahr Blue Sheep H. Goral	OPEN	1. Virkon S: 10% Solution Sprayed	Every Two Weeks
		2. Quick Lime: Sprinkled	Every Two weeks (Herbivores only)
		3. Blow Flame: Flaming	Every Two Weeks (Herbivores only)
	NIGHT SHELTERS	1. Virkon S: 10% Solution Sprayed	Every Two Weeks
		2. Quick Lime: Sprinkled	Monthly (Herbivores only)
		3. Blow Flame: Flaming	Every Two Weeks
		4. Gluteraldehyde Concentrate.: 10% wash	Every day
		5. Potassium Permanganate: Foot bath	Every day
	KEEPERS' PATHWAY	1. Sodium carbonate: 5% sprinkled	Monthly (Herbivores only)

